

PUBLIC SERVICES DEPARTMENT REPORT TO COUNCIL

DEPARTMENT ACTIVITIES – SEPTEMBER 2023

- 2024 Budget preparations and submittal
- Bike racks installed at Rarey's Port and Wert's Grove
- Blacklick playground equipment install and restoration completed, swing set install in progress
- Brush removal program removed 18 truckloads of brush and disposed at recycling facility
- Community events
 - o Farmers Market staff assisted with event setup and tear down during final event
 - o KidsFest staff assisted with setup and tear down of event
 - O Set up tents for 9/11 ceremony at Motts Military Museum
- Grounds maintenance cleaned vinyl fence behind Delaney's and Ace Hardware
- Log House removed overgrown herb garden for Garden Club to re-establish in spring 2024
- Meetings Public Service Director
 - o Central Ohio APWA board meeting
 - o Corvus Janitorial to discuss current service contract concerns
 - o Groveport Garden Club to discuss the Log House garden site
 - o Fire suppression needs at Police Department in the server room
 - o SWACO to discuss increasing recycling efforts throughout city facilities and the community
 - o Municipal Golf Course to discuss upgrades/repairs to lighting for large sign
 - o Front & Main pocket park preparations
 - o The Computer Workshop to discuss computer and program course opportunities for staff
 - o Performance evaluation training
 - o Snow and ice control coordination with ODOT management staff
 - o Budget review with Administrator and Finance Director
- Mosquito control
 - Spray applications YTD 7
 - September 7th
 - o Larvicide tablets installed in 26 storm drains and 6 ditches to prevent mosquito hatching
- OUPS 811 Service located city owned underground utility infrastructure for 221 tickets
- Outdoor pool repaired and maintained equipment after pool shut down
- Professional Development
 - o Mike Sisco passed the Certified Playground Inspector course and test
 - o Brian Strayer attended week-long course titled "Focus on Leadership Skills"
 - o Brian Strayer attended water training to acquire required contact hours for OEPA certification
 - o Eric Reed and Walt Wagner attended 8-hour class on Microsoft Outlook
- Recreation Center Replaced overhead lighting in fitness room and indoor pool with LED bulbs
- Sanitary sewer operations

- o 3,801 feet of sewer pipe cleaned and video inspected
- o 9 manholes raised to grade for accessibility
- Storm sewer operations repaired 2 catch basins
- Street tree maintenance removed 12 trees and ground 22 stumps in preparation for replacement trees
- Water treatment & distribution
 - o Flushed 191 fire hydrants
 - o Water well rehabilitation completed, including reconfiguring air releases